

**Landessortenprüfung Körnermais mittelfrüh 2008 - 2010,  
Anbaugebiet Oderbruch**

**Sortenempfehlung 2011:**

**Amelior K 250, Maritimo K 240, NK Nekta K 240, Saari K 250,  
Severo K 240,  
Probeanbau: DKC 3399 K 250**

**Kornertrag (86 % TM) dt/ha**

Sorte	Körner- reifezahl	2008	2009	2010	2008-2010	09/10
		Manschnow	Altreetz	Altreetz	Mittel	Mittel
PR39F58 (B)	K 250	105,54	126,24	98,26	110,01	112,25
LG 3220 Logo (B)	K 230	106,18	123,30	92,82	107,43	108,06
Zidane (B)	K 240	98,06	118,90	86,55	101,17	102,72
Amaryl (B)	K 230	104,65	117,71	91,61	104,66	104,66
ES Beatle (B)	K 240	100,15	121,72	95,93	105,93	108,82
Avixxene (B)	ca. K 250	101,15	115,03	102,82	106,33	108,93
Farmoso (B)	K 250	104,26	116,64	100,34	107,08	108,49
Konfians (B)	ca. K 250	106,64	116,18	90,73	104,52	103,45
MAS 21 D (B)	K 250	96,62	115,20	94,52	102,11	104,86
Saari (B)	ca. K 250	109,79	124,53	101,07	111,79	112,80
Aaposito	K 230		122,14	84,59		103,36
P 8000	K 230		117,97	97,44		107,71
NK Top	K 240		123,21	82,52		102,86
Stivi CS	K 240		122,10	92,91		107,50
DKC 3399	K 250		123,75	94,64		109,19
LG 3258	K 250		121,62	97,50		109,56
Marleen	K 240			91,03		
Amaretto	K 250			97,38		
Grosso	K 250			102,13		
Luigi CS	K 250			96,26		
Mittel		103,30	120,39	94,55	106,10	107,20
Mittel (B)		103,30	119,54	95,46	106,10	107,50
Grenzdif.		12,33	7,12	7,04		

## Landessortenprüfung Körnermais mittelfrüh 2008 - 2010, Anbauggebiet Oderbruch

Kornertrag (86 % TM) dt/ha rel

Sorte	Körner- reifezahl	2008	2009	2010	2008-2010	09/10
		Manschnow	Altreetz	Altreetz	Mittel	Mittel
PR39F58 (B)	K 250	102	106	103	104	104
LG 3220 Logo (B)	K 230	103	103	97	101	101
Zidane (B)	K 240	95	99	91	95	96
Amaryl (B)	K 230	101	98	96	99	97
ES Beatle (B)	K 240	97	102	100	100	101
Avixxene (B)	ca. K 250	98	96	108	100	101
Farmoso (B)	K 250	101	98	105	101	101
Konfians (B)	ca. K 250	103	97	95	99	96
MAS 21 D (B)	K 250	94	96	99	96	98
Saari (B)	ca. K 250	106	104	106	105	105
Aapposito	K 230		102	89		96
P 8000	K 230		99	102		100
NK Top	K 240		103	86		96
Stivi CS	K 240		102	97		100
DKC 3399	K 250		104	99		102
LG 3258	K 250		102	102		102
Marleen	K 240			95		
Amaretto	K 250			102		
Grosso	K 250			107		
Luigi CS	K 250			101		
Mittel		100	101	99	100	100
Mittel (B)		103,30	119,54	95,46	106,10	107,50
Grenzdif.		12	6	7		

## Landessortenprüfung Körnermais mittelfrüh 2008 - 2010, Anbaugbiet Oderbruch

### Trockensubstanz (Korn) % (abs)

Sorte	Körner- reifezahl	2008	2009	2010	2008-2010	09/10
		Manschnow	Altreetz	Altreetz	Mittel	Mittel
PR39F58 (B)	K 250	73,8	58,0	72,4	68,1	65,2
LG 3220 Logo (B)	K 230	76,2	63,2	72,8	70,7	67,9
Zidane (B)	K 240	74,0	61,2	72,2	69,1	66,7
Amaryl (B)	K 230	73,9	62,3	72,7	69,6	67,5
ES Beatle (B)	K 240	75,0	61,7	72,1	69,6	66,9
Avixxene (B)	ca. K 250	76,6	58,2	72,4	69,1	65,3
Farmoso (B)	K 250	73,3	58,6	72,0	68,0	65,3
Konfians (B)	ca. K 250	72,3	60,1	72,2	68,2	66,1
MAS 21 D (B)	K 250	76,3	58,7	71,7	68,9	65,2
Saari (B)	ca. K 250	74,5	61,2	72,1	69,3	66,6
Aapposito	K 230		62,8	71,8		67,3
P 8000	K 230		61,5	71,8		66,6
NK Top	K 240		62,4	72,1		67,2
Stivi CS	K 240		60,0	71,8		65,9
DKC 3399	K 250		61,4	71,5		66,5
LG 3258	K 250		60,5	72,2		66,3
Marleen	K 240			71,9		
Amaretto	K 250			72,5		
Grosso	K 250			71,9		
Luigi CS	K 250			72,3		
Mittel		74,6	60,7	72,1	69,0	66,4
Mittel (B)		74,6	60,3	72,2	69,0	66,3

## Landessortenprüfung Körnermais mittelfrüh 2008 - 2010, Anbauggebiet Oderbruch

### Trockensubstanz (Korn) % (rel)

Sorte	Körner- reifezahl	2008	2009	2010	2008-2010	09/10
		Manschnow	Altreetz	Altreetz	Mittel	Mittel
PR39F58 (B)	K 250	99	96	100	99	98
LG 3220 Logo (B)	K 230	102	105	101	102	102
Zidane (B)	K 240	99	101	100	100	100
Amaryl (B)	K 230	99	103	101	101	102
ES Beatle (B)	K 240	101	102	100	101	101
Avixxene (B)	ca. K 250	103	97	100	100	98
Farmoso (B)	K 250	98	97	100	98	98
Konfians (B)	ca. K 250	97	100	100	99	100
MAS 21 D (B)	K 250	102	97	99	100	98
Saari (B)	ca. K 250	100	101	100	100	100
Aapposito	K 230		104	99		101
P 8000	K 230		102	99		100
NK Top	K 240		103	100		101
Stivi CS	K 240		99	99		99
DKC 3399	K 250		102	99		100
LG 3258	K 250		100	100		100
Marleen	K 240			100		
Amaretto	K 250			100		
Grosso	K 250			100		
Luigi CS	K 250			100		
Mittel		100	101	100	100	100
Mittel (B)		74,6	60,3	72,2	69,0	66,3

## Landessortenprüfung Körnermais mittelfrüh 2008 - 2010, Anbaugbiet Oderbruch

Tausendkornmasse bei 86% TS (g) (abs)

Sorte	Körner- reifezahl	2008	2009	2010	2008-2010	09/10
		Manschnow	Altreetz	Altreetz	Mittel	Mittel
PR39F58 (B)	K 250	191,9	173,9	202,5	189,4	188,2
LG 3220 Logo (B)	K 230	239,0	186,5	222,6	216,0	204,5
Zidane (B)	K 240	262,9	215,1	238,3	238,7	226,7
Amaryl (B)	K 230	259,9	215,6	237,8	237,8	226,7
ES Beatle (B)	K 240	268,4	175,4	238,6	227,4	207,0
Avixxene (B)	ca. K 250	264,6	183,8	217,3	221,9	200,6
Farmoso (B)	K 250	267,0	190,1	222,9	226,6	206,5
Konfians (B)	ca. K 250	207,2	191,4	225,6	208,1	208,5
MAS 21 D (B)	K 250	234,1	178,8	197,0	203,3	187,9
Saari (B)	ca. K 250	204,9	187,1	220,7	204,2	203,9
Aapposito	K 230		198,6	214,5		206,5
P 8000	K 230		195,0	195,6		195,3
NK Top	K 240		186,7	213,7		200,2
Stivi CS	K 240		187,7	203,7		195,7
DKC 3399	K 250		196,4	217,1		206,8
LG 3258	K 250		171,9	217,2		194,5
Marleen	K 240			204,1		
Amaretto	K 250			232,5		
Grosso	K 250			210,2		
Luigi CS	K 250			196,9		
Mittel		240,0	189,6	216,4	217,3	203,7
Mittel (B)		240,0	189,8	222,3	217,3	206,0

## Landessortenprüfung Körnermais mittelfrüh 2008 - 2010, Anbauggebiet Oderbruch

### Tausendkornmasse bei 86% TS (g) (rel)

Sorte	Körner- reifezahl	2008	2009	2010	2008-2010	09/10
		Manschnow	Altreetz	Altreetz	Mittel	Mittel
PR39F58 (B)	K 250	80	92	91	87	92
LG 3220 Logo (B)	K 230	100	98	100	99	100
Zidane (B)	K 240	110	113	107	110	111
Amaryl (B)	K 230	108	114	107	109	111
ES Beatle (B)	K 240	112	92	107	105	102
Avixxene (B)	ca. K 250	110	97	98	102	98
Farmoso (B)	K 250	111	100	100	104	101
Konfians (B)	ca. K 250	86	101	101	96	102
MAS 21 D (B)	K 250	98	94	89	94	92
Saari (B)	ca. K 250	85	99	99	94	100
Aapposito	K 230		105	96		101
P 8000	K 230		103	88		96
NK Top	K 240		98	96		98
Stivi CS	K 240		99	92		96
DKC 3399	K 250		104	98		101
LG 3258	K 250		91	98		95
Marleen	K 240			92		
Amaretto	K 250			105		
Grosso	K 250			95		
Luigi CS	K 250			89		
Mittel		100	100	97	100	100
Mittel (B)		240,0	189,8	222,3	217,3	206,0

## Landessortenprüfung Körnermais mittelfrüh 2008 - 2010, Anbauggebiet Oderbruch

### Pflanzenlänge cm (abs)

Sorte	Körner- reifezahl	2008	2009	2010	2008-2010	09/10
		Manschnow	Altreetz	Altreetz	Mittel	Mittel
PR39F58 (B)	K 250	251	299	270	273	284
LG 3220 Logo (B)	K 230	231	260	260	250	260
Zidane (B)	K 240	243	279	253	258	266
Amaryl (B)	K 230	248	299	265	270	282
ES Beatle (B)	K 240	246	292	278	272	285
Avixxene (B)	ca. K 250	249	276	273	266	274
Farmoso (B)	K 250	240	272	270	261	271
Konfians (B)	ca. K 250	240	280	255	258	267
MAS 21 D (B)	K 250	245	285	263	264	274
Saari (B)	ca. K 250	235	283	260	259	272
Aapposito	K 230		244	245		245
P 8000	K 230		288	275		282
NK Top	K 240		259	255		257
Stivi CS	K 240		286	269		277
DKC 3399	K 250		305	265		285
LG 3258	K 250		287	273		280
Marleen	K 240			278		
Amaretto	K 250			290		
Grosso	K 250			273		
Luigi CS	K 250			255		
Mittel		243	281	266	263	272
Mittel (B)		243	282	265	263	273

## Landessortenprüfung Körnermais mittelfrüh 2008 - 2010, Anbauggebiet Oderbruch

### Pflanzenlänge cm (rel)

Sorte	Körner- reifezahl	2008	2009	2010	2008-2010	09/10
		Manschnow	Altreetz	Altreetz	Mittel	Mittel
PR39F58 (B)	K 250	104	106	102	104	104
LG 3220 Logo (B)	K 230	95	92	98	95	95
Zidane (B)	K 240	100	99	95	98	98
Amaryl (B)	K 230	102	106	100	103	103
ES Beatle (B)	K 240	101	103	105	103	105
Avixxene (B)	ca. K 250	102	98	103	101	101
Farmoso (B)	K 250	99	96	102	99	99
Konfians (B)	ca. K 250	99	99	96	98	98
MAS 21 D (B)	K 250	101	101	99	100	100
Saari (B)	ca. K 250	97	100	98	99	100
Aaposito	K 230		87	93		90
P 8000	K 230		102	104		103
NK Top	K 240		92	96		94
Stivi CS	K 240		101	102		102
DKC 3399	K 250		108	100		105
LG 3258	K 250		101	103		103
Marleen	K 240			105		
Amaretto	K 250			110		
Grosso	K 250			103		
Luigi CS	K 250			96		
Mittel		100	99	101	100	100
Mittel (B)		243	282	265	263	273

## Landessortenprüfung Körnermais mittelfrüh 2008 - 2010, Anbauggebiet Oderbruch

### Bestockung % (abs)

Sorte	Körner- reifezahl	2008	2009	2010	2008-2010	09/10
		Manschnow	Altreetz	Altreetz	Mittel	Mittel
PR39F58 (B)	K 250		1			
LG 3220 Logo (B)	K 230		2			
Zidane (B)	K 240		0			
Amaryl (B)	K 230		0			
ES Beatle (B)	K 240		0			
Avixxene (B)	ca. K 250		0			
Farmoso (B)	K 250		35			
Konfians (B)	ca. K 250		1			
MAS 21 D (B)	K 250		26			
Saari (B)	ca. K 250		0			
Aapposito	K 230		1			
P 8000	K 230		2			
NK Top	K 240		16			
Stivi CS	K 240		1			
DKC 3399	K 250		3			
LG 3258	K 250		12			
Marleen	K 240					
Amaretto	K 250					
Grosso	K 250					
Luigi CS	K 250					
Mittel			6			
Mittel (B)			7			

## Landessortenprüfung Körnermais mittelfrüh 2008 - 2010, Anbauggebiet Oderbruch

### Stängelfäule % (abs)

Sorte	Körner- reifezahl	2008	2009	2010	2008-2010	09/10
		Manschnow	Altreetz	Altreetz	Mittel	Mittel
PR39F58 (B)	K 250			8		
LG 3220 Logo (B)	K 230			5		
Zidane (B)	K 240			6		
Amaryl (B)	K 230			5		
ES Beatle (B)	K 240			5		
Avixxene (B)	ca. K 250			5		
Farmoso (B)	K 250			5		
Konfians (B)	ca. K 250			5		
MAS 21 D (B)	K 250			5		
Saari (B)	ca. K 250			5		
Aapposito	K 230			6		
P 8000	K 230			6		
NK Top	K 240			6		
Stivi CS	K 240			5		
DKC 3399	K 250			5		
LG 3258	K 250			5		
Marleen	K 240			8		
Amaretto	K 250			6		
Grosso	K 250			5		
Luigi CS	K 250			9		
Mittel				6		
Mittel (B)				5		

## Landessortenprüfung Körnermais mittelfrüh 2008 - 2010, Anbauggebiet Oderbruch

### Pflanzen mit Beulenbrand % (abs)

Sorte	Körner- reifezahl	2008	2009	2010	2008-2010	09/10
		Manschnow	Altreetz	Altreetz	Mittel	Mittel
PR39F58 (B)	K 250	1	0	0	0	0
LG 3220 Logo (B)	K 230	0	1	0	0	0
Zidane (B)	K 240	0	0	0	0	0
Amaryl (B)	K 230	0	0	2	1	1
ES Beatle (B)	K 240	1	1	0	0	0
Avixxene (B)	ca. K 250	1	0	9	3	5
Farmoso (B)	K 250	0	1	0	0	0
Konfians (B)	ca. K 250	1	1	0	0	0
MAS 21 D (B)	K 250	0	0	0	0	0
Saari (B)	ca. K 250	1	0	0	0	0
Aapposito	K 230		0	0		0
P 8000	K 230		0	0		0
NK Top	K 240		0	0		0
Stivi CS	K 240		1	0		0
DKC 3399	K 250		0	0		0
LG 3258	K 250		0	0		0
Marleen	K 240			0		
Amaretto	K 250			3		
Grosso	K 250			0		
Luigi CS	K 250			0		
Mittel		0	0	1	1	0
Mittel (B)		0	0	1	1	1

## Landessortenprüfung Körnermais mittelfrüh 2008 - 2010, Anbaugebiet Oderbruch

### Pflanzen mit Maiszünsler % (abs)

Sorte	Körner- reifezahl	2008	2009	2010	2008-2010	09/10
		Manschnow	Altreetz	Altreetz	Mittel	Mittel
PR39F58 (B)	K 250	34	90	77	67	83
LG 3220 Logo (B)	K 230	22	94	85	67	89
Zidane (B)	K 240	37	91	84	71	88
Amaryl (B)	K 230	29	88	80	65	84
ES Beatle (B)	K 240	23	84	78	62	81
Avixxene (B)	ca. K 250	54	91	78	74	85
Farmoso (B)	K 250	41	92	78	70	85
Konfians (B)	ca. K 250	17	88	82	62	85
MAS 21 D (B)	K 250	41	92	80	71	86
Saari (B)	ca. K 250	14	90	81	62	86
Aapposito	K 230		92	80		86
P 8000	K 230		84	84		84
NK Top	K 240		89	86		88
Stivi CS	K 240		92	81		86
DKC 3399	K 250		90	82		86
LG 3258	K 250		92	82		87
Marleen	K 240			89		
Amaretto	K 250			82		
Grosso	K 250			81		
Luigi CS	K 250			83		
Mittel		31	90	82	67	85
Mittel (B)		31	90	80	67	85

## Landessortenprüfung Körnermais mittelfrüh 2008 - 2010, Anbauggebiet Oderbruch

### Tage von Aussaat/Pflanzen bis Aufgang (abs)

Sorte	Körner- reifezahl	2008	2009	2010	2008-2010	09/10
		Manschnow	Altreetz	Altreetz	Mittel	Mittel
PR39F58 (B)	K 250	14	15	14	14	15
LG 3220 Logo (B)	K 230	14	15	14	14	15
Zidane (B)	K 240	14	15	14	14	15
Amaryl (B)	K 230	14	15	14	14	15
ES Beatle (B)	K 240	14	15	14	14	15
Avixxene (B)	ca. K 250	14	15	14	14	15
Farmoso (B)	K 250	14	15	14	14	15
Konfians (B)	ca. K 250	14	15	14	14	15
MAS 21 D (B)	K 250	14	15	14	14	15
Saari (B)	ca. K 250	14	15	14	14	15
Aaposito	K 230		15	14		15
P 8000	K 230		15	14		15
NK Top	K 240		15	14		15
Stivi CS	K 240		15	14		15
DKC 3399	K 250		15	14		15
LG 3258	K 250		15	14		15
Marleen	K 240			14		
Amaretto	K 250			14		
Grosso	K 250			14		
Luigi CS	K 250			14		
Mittel		14	15	14	14	15
Mittel (B)		14	15	14	14	15

## Landessortenprüfung Körnermais mittelfrüh 2008 - 2010, Anbaugbiet Oderbruch

### Tage von Aussaat bis weibliche Blüte (abs)

Sorte	Körner- reifezahl	2008	2009	2010	2008-2010	09/10
		Manschnow	Altreetz	Altreetz	Mittel	Mittel
PR39F58 (B)	K 250	80	88	90	86	89
LG 3220 Logo (B)	K 230	77	85	87	83	86
Zidane (B)	K 240	73	80	85	79	83
Amaryl (B)	K 230	78	83	88	83	86
ES Beatle (B)	K 240	81	85	89	85	87
Avixxene (B)	ca. K 250	82	87	90	86	89
Farmoso (B)	K 250	77	83	88	83	86
Konfians (B)	ca. K 250	77	87	88	84	88
MAS 21 D (B)	K 250	79	85	89	84	87
Saari (B)	ca. K 250	79	87	90	85	89
Aapposito	K 230		80	87		84
P 8000	K 230		84	89		87
NK Top	K 240		80	87		84
Stivi CS	K 240		82	94		88
DKC 3399	K 250		82	91		87
LG 3258	K 250		86	89		88
Marleen	K 240			89		
Amaretto	K 250			95		
Grosso	K 250			94		
Luigi CS	K 250			88		
Mittel		78	84	89	84	86
Mittel (B)		78	85	88	84	87

## Landessortenprüfung Körnermais mittelfrüh 2008 - 2010, Anbauggebiet Oderbruch

### Tage von Aussaat bis Ernte (abs)

Sorte	Körner- reifezahl	2008	2009	2010	2008-2010	09/10
		Manschnow	Altreetz	Altreetz	Mittel	Mittel
PR39F58 (B)	K 250	202	178	223	201	201
LG 3220 Logo (B)	K 230	202	178	223	201	201
Zidane (B)	K 240	202	178	223	201	201
Amaryl (B)	K 230	202	178	223	201	201
ES Beatle (B)	K 240	202	178	223	201	201
Avixxene (B)	ca. K 250	202	178	223	201	201
Farmoso (B)	K 250	202	178	223	201	201
Konfians (B)	ca. K 250	202	178	223	201	201
MAS 21 D (B)	K 250	202	178	223	201	201
Saari (B)	ca. K 250	202	178	223	201	201
Aapposito	K 230		178	223		201
P 8000	K 230		178	223		201
NK Top	K 240		178	223		201
Stivi CS	K 240		178	223		201
DKC 3399	K 250		178	223		201
LG 3258	K 250		178	223		201
Marleen	K 240			223		
Amaretto	K 250			223		
Grosso	K 250			223		
Luigi CS	K 250			223		
Mittel		202	178	223	201	201
Mittel (B)		202	178	223	201	201

## Landessortenprüfung Körnermais mittelfrüh 2008 - 2010, Anbauggebiet Oderbruch

### Datum des Aufgangs (abs)

Sorte	Körner- reifezahl	2008	2009	2010
		Manschnow	Altreetz	Altreetz
PR39F58 (B)	K 250	09.05.2008	12.05.2009	05.05.2010
LG 3220 Logo (B)	K 230	09.05.2008	12.05.2009	05.05.2010
Zidane (B)	K 240	09.05.2008	12.05.2009	05.05.2010
Amaryl (B)	K 230	09.05.2008	12.05.2009	05.05.2010
ES Beatle (B)	K 240	09.05.2008	12.05.2009	05.05.2010
Avixxene (B)	ca. K 250	09.05.2008	12.05.2009	05.05.2010
Farmoso (B)	K 250	09.05.2008	12.05.2009	05.05.2010
Konfians (B)	ca. K 250	09.05.2008	12.05.2009	05.05.2010
MAS 21 D (B)	K 250	09.05.2008	12.05.2009	05.05.2010
Saari (B)	ca. K 250	09.05.2008	12.05.2009	05.05.2010
Aapposito	K 230		12.05.2009	05.05.2010
P 8000	K 230		12.05.2009	05.05.2010
NK Top	K 240		12.05.2009	05.05.2010
Stivi CS	K 240		12.05.2009	05.05.2010
DKC 3399	K 250		12.05.2009	05.05.2010
LG 3258	K 250		12.05.2009	05.05.2010
Marleen	K 240			05.05.2010
Amaretto	K 250			05.05.2010
Grosso	K 250			05.05.2010
Luigi CS	K 250			05.05.2010

## Landessortenprüfung Körnermais mittelfrüh 2008 - 2010, Anbauggebiet Oderbruch

### Datum der weiblichen Blüte (abs)

Sorte	Körner- reifezahl	2008	2009	2010
		Manschnow	Altreetz	Altreetz
PR39F58 (B)	K 250	14.07.2008	24.07.2009	20.07.2010
LG 3220 Logo (B)	K 230	11.07.2008	21.07.2009	17.07.2010
Zidane (B)	K 240	07.07.2008	16.07.2009	15.07.2010
Amaryl (B)	K 230	12.07.2008	19.07.2009	18.07.2010
ES Beatle (B)	K 240	15.07.2008	21.07.2009	19.07.2010
Avixxene (B)	ca. K 250	16.07.2008	23.07.2009	20.07.2010
Farmoso (B)	K 250	11.07.2008	19.07.2009	18.07.2010
Konfians (B)	ca. K 250	11.07.2008	23.07.2009	18.07.2010
MAS 21 D (B)	K 250	13.07.2008	21.07.2009	19.07.2010
Saari (B)	ca. K 250	13.07.2008	23.07.2009	20.07.2010
Aapposito	K 230		16.07.2009	17.07.2010
P 8000	K 230		20.07.2009	19.07.2010
NK Top	K 240		16.07.2009	17.07.2010
Stivi CS	K 240		18.07.2009	24.07.2010
DKC 3399	K 250		18.07.2009	21.07.2010
LG 3258	K 250		22.07.2009	19.07.2010
Marleen	K 240			19.07.2010
Amaretto	K 250			25.07.2010
Grosso	K 250			24.07.2010
Luigi CS	K 250			18.07.2010
Mittel		12.07.2008	20.07.2009	19.07.2010

## Landessortenprüfung Körnermais mittelfrüh 2008 - 2010, Anbauggebiet Oderbruch

### Datum der Ernte (abs)

Sorte	Körner- reifezahl	2008	2009	2010
		Manschnow	Altreetz	Altreetz
PR39F58 (B)	K 250	13.11.2008	22.10.2009	30.11.2010
LG 3220 Logo (B)	K 230	13.11.2008	22.10.2009	30.11.2010
Zidane (B)	K 240	13.11.2008	22.10.2009	30.11.2010
Amaryl (B)	K 230	13.11.2008	22.10.2009	30.11.2010
ES Beatle (B)	K 240	13.11.2008	22.10.2009	30.11.2010
Avixxene (B)	ca. K 250	13.11.2008	22.10.2009	30.11.2010
Farmoso (B)	K 250	13.11.2008	22.10.2009	30.11.2010
Konfians (B)	ca. K 250	13.11.2008	22.10.2009	30.11.2010
MAS 21 D (B)	K 250	13.11.2008	22.10.2009	30.11.2010
Saari (B)	ca. K 250	13.11.2008	22.10.2009	30.11.2010
Aapposito	K 230		22.10.2009	30.11.2010
P 8000	K 230		22.10.2009	30.11.2010
NK Top	K 240		22.10.2009	30.11.2010
Stivi CS	K 240		22.10.2009	30.11.2010
DKC 3399	K 250		22.10.2009	30.11.2010
LG 3258	K 250		22.10.2009	30.11.2010
Marleen	K 240			30.11.2010
Amaretto	K 250			30.11.2010
Grosso	K 250			30.11.2010
Luigi CS	K 250			30.11.2010